

## Market Report

# Global Inorganic Filler Market

## 2nd Edition

Updated: August, 2015  
Publisher: Acmite Market Intelligence  
Language: English  
Pages: 556  
Price: from € 1,490

## Abstract

Driven by heavy competition, manufacturing sectors are striving to reduce costs or to enhance performance through the use of filler. The global filler market sees moderate growth, benefiting from increasing demand in application areas. Fillers are gaining increasing importance particularly when they are supplied more as property modifier than as cost reducer.

The global consumption of inorganic fillers was estimated at US\$17.85 billion in 2014, approximately 4.5% up from the previous year. It is expected to grow slightly faster in the next years to reach US\$20.55 billion by 2017 and to increase to US\$27.22 billion by 2023.

The filler market is very fragmented, but there is a trend towards consolidation and market penetration as global players acquire local producers to ensure their market share and profit margin.

Acmite Market Intelligence has updated the most comprehensive market report on global inorganic filler market. It is ready for order.

The market report examines the current products and application areas, provides extensive market data of 2014, and market forecast through 2017 to 2023. It also outlines the competition landscape, evaluates market chances and risks and anticipates future trends based on a series of influence factors.

- 207 pages analyzing the market
- 60 figure tables
- 265 manufacturers profiled

With a multi-dimensional and in-depth view of world inorganic filler market, this report is ideal help for you with decisions about international market penetration, business expansion or project feasibility analysis.

## Table of Contents

### Volume I

<b>1. Definition and segmentation.....</b>	<b>1</b>
1.1 Market definition.....	1
1.2 Market segmentation.....	4
1.3 Product applications and end uses.....	6
<b>2. Macro-environment.....</b>	<b>7</b>
2.1 Trends in the world economy.....	7
2.2 The chemical industry.....	14
2.3 Industry concentration.....	21
2.4 Laws and Regulations.....	23
<b>3 Overview of inorganic filler market.....</b>	<b>27</b>
3.1 Market data.....	27
3.1.1 Inorganic filler market by product category.....	27
3.1.2 Inorganic filler market by application.....	33
3.1.3 Inorganic filler demand by region.....	38
3.1.4 Inorganic filler production by region.....	43
3.2 Market trends and chances.....	48
3.3 Market restrains and risks.....	56
3.4 Innovations in products and technologies.....	61
3.5 Investment, divestment and M&A.....	66
<b>4 Products.....</b>	<b>75</b>
4.1 Calcium carbonates.....	75
4.1.1 Products, properties and uses.....	75
4.1.2 GCC market size and forecast.....	82
4.1.2.1 GCC market by application.....	85
4.1.2.2 GCC market by region.....	86

4.1.3 PCC market size and forecast.....	87
4.1.3.1 PCC market by application.....	89
4.1.3.2 PCC market by region.....	90
4.1.4 Market trends and competition.....	91
4.2 Silica.....	93
4.2.1 Silica market.....	93
4.2.2 Natural silica.....	95
4.2.2.1 Products, properties and uses.....	95
4.2.2.2 Market size and forecast.....	97
4.2.2.2.1 Natural silica market by product type.....	99
4.2.2.2.2 Natural silica market by application.....	100
4.2.2.2.3 Natural silica market by region.....	101
4.2.3 Synthetic silica.....	102
4.2.3.1 Products, properties and uses.....	102
4.2.3.2 Market size and forecast.....	105
4.2.3.2.1 Synthetic silica market by product type.....	108
4.2.3.2.2 Synthetic silica market by application.....	109
4.2.3.2.3 Synthetic silica market by region.....	110
4.2.4 Market trends and competition.....	111
4.3 Kaolin.....	113
4.3.1 Products, properties and uses.....	113
4.3.2 Market size and forecast.....	116
4.3.2.1 Kaolin market by product type.....	118
4.3.2.2 Kaolin market by application.....	119
4.3.2.3 Kaolin market by region.....	120
4.3.3 Market trends and competition.....	121
4.4 Talc.....	122
4.4.1 Products, properties and uses.....	122
4.4.2 Market size and forecast.....	125

4.4.2.1 Talc market by product type.....	127
4.4.2.2 Talc market by application.....	128
4.4.2.3 Talc market by region.....	129
4.4.3 Market trends and competition.....	130
4.5 Other silicates.....	132
4.5.1 Market of other silicate based fillers.....	132
4.5.2 Mica.....	134
4.5.3 Wollastonite.....	138
4.6 Aluminium trihydroxide (ATH).....	142
4.6.1 Products, properties and uses.....	142
4.6.2 Market size and forecast.....	144
4.6.2.1 ATH market by application.....	146
4.6.2.2 ATH market by region.....	147
4.6.3 Market trends and competition.....	148
4.7 Antimony trioxide.....	149
4.7.1 Products, properties and uses.....	149
4.7.2 Market size and forecast.....	151
4.7.2.1 Antimony trioxide market by application.....	153
4.7.2.2 Antimony trioxide market by region.....	154
4.7.3 Market trends and competition.....	155
4.8 Other inorganic fillers.....	156
4.9 Nanofiller.....	158
4.9.1 Products, properties and uses.....	158
4.9.2 Market size and forecast.....	160
4.9.2.1 Nanofiller market by product category.....	162
4.9.2.2 Nanofiller market by application.....	163
4.9.2.3 Nanofiller market by region.....	164

4.9.3 Market trends and competition.....	165
<b>5. Filler market by application.....</b>	<b>167</b>
5.1 Paper.....	167
5.1.1 Products and market segments.....	167
5.1.2 Market size and forecast.....	169
5.1.2.1 Filler demand in paper by sector.....	171
5.1.2.2 Filler demand in paper by filler type.....	172
5.1.2.3 Filler demand in paper by region.....	173
5.1.3 Market trends and chances .....	174
5.2 Thermoplastics and thermosets.....	175
5.2.1 Products and market segments.....	175
5.2.2 Market size and forecast.....	177
5.2.2.1 Filler demand in thermoplastics & thermosets by sector.....	180
5.2.2.2 Filler demand in thermoplastics & thermosets by filler type.....	181
5.2.2.3 Filler demand in thermoplastics & thermosets by region.....	182
5.2.3 Market trends and chances .....	183
5.3 Paints & coatings.....	184
5.3.1 Products and market segments.....	184
5.3.2 Market size and forecast.....	187
5.3.2.1 Filler demand in paints & coatings by sector.....	190
5.3.2.2 Filler demand in paints & coatings by type.....	191
5.3.2.3 Filler demand in paints & coatings by region.....	192
5.3.3 Market trends and chances .....	193
5.4 Rubber.....	194
5.4.1 Products and market segments.....	194
5.4.2 Market size and forecast.....	196
5.4.2.1 Filler demand in rubber by end-use.....	198
5.4.2.2 Filler demand in rubber by filler type.....	199

5.4.2.3 Filler demand in rubber by region.....	200
5.4.3 Market trends and chances .....	201
5.5 Adhesives and sealants.....	202
5.5.1 Products and market segments.....	202
5.5.2 Market size and forecast.....	203
5.5.2.1 Filler demand in adhesives & sealants by end-user.....	204
5.5.2.2 Filler demand in adhesive & sealants by filler type.....	205
5.5.2.3 Filler demand in adhesives & sealants by region.....	206
5.5.3 Market trends and chances .....	207

## Volume II

Company profiles (265).....	1-350
-----------------------------	-------

### Note:

#### Regions:

North America: US, Canada, Mexico (NAFTA region)

Asia Pacific: Countries of Asia, Australia, New Zealand

Asia Pacific\*: Asia Pacific excluding Japan and China

#### 4.6.1 Products, properties and uses

Aluminium trihydroxide (ATH) is also known as hydrated alumina, alumina hydrate, alumina trihydrate and trihydrated Alumina.

Its chemical formula is  $\text{Al}(\text{OH})_3$  or  $\text{Al}_2\text{O}_3 \cdot 3\text{H}_2\text{O}$

Aluminum hydroxide is the most consumable and applicable inorganic flame retardant. ATH is more often taken as a flame retardant filler than as a flame retardant additive in the sense that it is often less expensive than the filled material it displaces (at least on a weight basis), and by comparison with reactive flame retardants it needs to be used at high loadings.

Filler grade production of aluminum hydroxide is a separate from the production of the metallurgical grade and yields a pure aluminium trihydroxide, while the metallurgical grade of aluminum trihydroxide is produced in the first stage.

#### Properties

Aluminum trihydroxide has two important properties which made it a very popular filler

- flame retarding abilities, ATH acts by endothermic dehydration, simultaneously absorbing heat energy: maximum processing temperature is about 200°C. On heating to 200°C, hydrated alumina decomposes into 66% alumina and 34% water.
- its low absorption of UV

Other major properties include:



- smoke suppression
- chemical stability

(Vol. I P. 142)

**5.3.2.1 Filler demand in paints & coatings by sector**

Filler demand in paints & coatings by sector in US\$ million

	2014	2015	2017	2020	2023	AAGR
Architectural	668	696	755	854	965	4.2%
Automotive refinish paint	432	449	484	543	608	3.9%
Industrial Coatings	353	368	397	447	502	4.0%
Specialty paints	314	330	366	425	495	5.2%
Others	196	204	219	244	272	3.7%
<b>Total</b>	<b>1964</b>	<b>2046</b>	<b>2221</b>	<b>2512</b>	<b>2841</b>	<b>4.2%</b>



(Vol. I P. 190)



## **Albemarle Corporation (USA)**

Baton Rouge Tower,  
451 Florida Street  
Baton Rouge Louisiana 70801  
USA  
Phone: +1 225 388 7402  
Fax: +1 225 388 7686  
<http://www.albemarle.com>

Year of foundation: 1994  
Number of employees: 3,625  
Revenue 2014: US\$ 2,445.5 million

### **Company profile**

Albemarle is a leading global producer of specialty chemicals for consumer electronics, pharmaceuticals, agricultural, automotive and industrial products, and construction and packaging materials. The company has developed industry-leading positions in a number of end markets, including bromine and mineral-based flame retardants, aluminium alkyl catalysts and metallocene co-catalysts for polyolefins, bromine and bulk ibuprofen.

The company operates four business units: Polymer additives, Catalysts, Fine chemicals, and other industry specialties

The company's Polymer Additives business supplies flame retardants, curing agents, antioxidants and stabilizers.

Its Other Industry Specialties business supplies

- Paper sizes & fillers, which offers a variety of chemical specialties for the paper industry, from paper sizes to pigments, fillers and processing aids...

(Vol. II P. 13)



## Order Form

**Please return this form**

Via Fax: +49-2102-8761 471 or  
Via Email: market@acmite.com or  
Via Post: Acmite Market Intelligence / Dechenstr. 17, 40878 Ratingen, Germany

If you have any question please email to: market@acmite.com

Code	Product	Page	Basic License*	Site License**	Corporate License***
C0641	Global Inorganic Filler Market, Volume I	207	<input type="checkbox"/> EUR 1490	<input type="checkbox"/> EUR 1690	<input type="checkbox"/> EUR 2390
C0642	Global Inorganic Filler Market, Volume II	349	<input type="checkbox"/> EUR 790	<input type="checkbox"/> EUR 990	<input type="checkbox"/> EUR 1290
C0640	Global Inorganic Filler Market, Total, (Volume I + II)	556	<input type="checkbox"/> EUR 1990	<input type="checkbox"/> EUR 2390	<input type="checkbox"/> EUR 3390
<b>Sum</b>			<input type="checkbox"/> EUR _____	<input type="checkbox"/> EUR _____	<input type="checkbox"/> EUR _____

\* Basic license: non-printable and non-copyable PDF, for single user only

\*\* Site license: printable and copyable PDF, for one business site

\*\*\* Corporate license: printable and copyable PDF, for all business sites

If hard copy is wished, 50 EUR is charged for each volume and each copy. Please make a notice here: \_\_\_\_\_.

Company: \_\_\_\_\_ Contact Person: Mr  Mrs  Dr

Address: \_\_\_\_\_ Name: \_\_\_\_\_

\_\_\_\_\_ Position /Dept.: \_\_\_\_\_

Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_

City: \_\_\_\_\_ Fax: \_\_\_\_\_

Country: \_\_\_\_\_ Email: \_\_\_\_\_

Acmite Market Intelligence / Dechenstr. 17, D-40878 Ratingen, Germany  
Phone: +49-2102-8761 470 · Fax: +49-2102-8761 471 · Email: market@acmite.com  
VAT ID: DE815058100